

ATTACHMENT A

Quote from Haaker Equipment Company

HAAKER

EQUIPMENT COMPANY

2070 North White Avenue, La Verne, California 91750

(909) 598-2706 ~ haaker.com



QUOTE

JULY 30, 2024

TO: CITY OF VICTORVILLE
14177 MCART ROAD
VICTORVILLE, CA 92392

ATTN: MR. SPARKY KALE
760-713-2285
EMAIL: skale@victorvilleca.gov

In accordance with your request, we are pleased to submit the following proposal for your consideration and approval based on the [Sourcewell Cooperative Purchasing Agreement - Contract #101221-VTR](#).

ONE (1) NEW VACTOR 2115-18" COMBO SEWER CLEANER

15-Cubic Yard Capacity With 18" Vacuum, 1500 Gallons Of Water,
Mounted On A **2025** Freightliner 6x4 Chassis, With Allison Automatic Transmission.
Equipped With All Standard And Optional Equipment Listed:

STANDARD EQUIPMENT:

- | | | |
|---|--|--|
| <input type="checkbox"/> ALUMINUM FENDERS | <input type="checkbox"/> DEBRIS DEFLECTOR PLATE | <input type="checkbox"/> DIGITAL HOSE FOOTAGE COUNTER |
| <input type="checkbox"/> MUD FLAPS | <input type="checkbox"/> 60" DUMP HEIGHT | <input type="checkbox"/> HOSE REEL MANUAL HYD. EXTEND/RETRACT |
| <input type="checkbox"/> COLOR CODED SEALED ELECTRICAL SYSTEM | <input type="checkbox"/> DEBRIS BODY-UP MESSAGE AND ALARM | <input type="checkbox"/> HOSE REEL CHAIN COVER |
| <input type="checkbox"/> INTUITOUCH ELECTRONIC PACKAGE | <input type="checkbox"/> LOW WATER INDICATOR ON SCREEN W/ALARM AND WATER PUMP FLOW INDICATOR | <input type="checkbox"/> HYDRAULIC TANK SHUTOFF VALVES |
| <input type="checkbox"/> DOUBLE ACTING HOIST CYLINDER | <input type="checkbox"/> 3" Y -STRAINER AT PASSENGER SIDE FILL WITH 25' FILL HOSE | <input type="checkbox"/> TACHOMETER/CHASSIS ENGINE W/HOUR METER |
| <input type="checkbox"/> HANDGUN ASSEMBLY | <input type="checkbox"/> ADDITIONAL WATER TANK SIGHT GAUGE | <input type="checkbox"/> WATER PUMP HOUR METER |
| <input type="checkbox"/> EX-TEN STEEL CYLINDRICAL DEBRIS TANK | <input type="checkbox"/> LIQUID FLOAT LEVEL INDICATOR | <input type="checkbox"/> PTO HOUR METER |
| <input type="checkbox"/> FLEXIBLE HOSE GUIDE | <input type="checkbox"/> DIGITAL WATER PRESSURE GAUGE | <input type="checkbox"/> HYDRAULIC OIL TEMP ALARM |
| <input type="checkbox"/> (3) NOZZLES WITH CARBIDE INSERTS W/RACK | <input type="checkbox"/> FRONT JOYSTICK BOOM CONTROL | <input type="checkbox"/> TACHOMETER & HOUR METER/BLOWER |
| <input type="checkbox"/> SUCTION TUBE STORAGE | <input type="checkbox"/> BOOM HOSE STORAGE | <input type="checkbox"/> CIRCUIT BREAKERS |
| <input type="checkbox"/> 1" NOZZLE PIPE | <input type="checkbox"/> BOOM OUT OF POSITION MESSAGE AND ALARM | <input type="checkbox"/> LED LIGHTS- CLEARANCE- BACK-UP- STOP- TAIL & TURN |
| <input type="checkbox"/> 10' LEADER HOSE | <input type="checkbox"/> 3"Y -STRAINER @ WATER PUMP | <input type="checkbox"/> TOW HOOKS- FRONT AND REAR |
| <input type="checkbox"/> FLAT REAR DOOR W/HYDRAULIC LOCKS | <input type="checkbox"/> MIDSHIP HANDGUN COUPLING | <input type="checkbox"/> ELECTRONIC BACK-UP ALARM |
| <input type="checkbox"/> DUAL STAINLESS STEEL FLOAT SHUT OFF SYSTEM | <input type="checkbox"/> CHASSIS ENGINE COOLING PACKAGE | <input type="checkbox"/> MODULE PAINT- DUPONT IMRON ELITE - WET ON WET |
| <input type="checkbox"/> MICRO STRAINER PRIOR TO BLOWER | <input type="checkbox"/> SIDE MOUNTED WATER PUMP | <input type="checkbox"/> 7" VACUUM PIPE PACKAGE |
| <input type="checkbox"/> DEBRIS BODY VACUUM RELIEF SYSTEM | | <input type="checkbox"/> EMERGENCY FLARE KIT |
| | | <input type="checkbox"/> FIRE EXTINGUISHER 5 LBS. |

OPTIONAL EQUIPMENT:

- | | | |
|---|---|---|
| <input type="checkbox"/> GRATE LIFTING HOOK- INSTALLED ON BOOM | <input type="checkbox"/> 6" REAR DOOR KNIFE VALVE W/CAMLOCK - AIR ACTUATED W/PORT -6:00 POSITION | <input type="checkbox"/> WORK LIGHT- LED- HOSE REEL MANHOLE |
| <input type="checkbox"/> BELLYPACK WIRELESS CONTROLS WITH HOSE REEL CONTROLS- 2-WAY COMMUNICATIONS- AND LCD DISPLAY | <input type="checkbox"/> FULL REAR DOOR SWINGING SCREEN | <input type="checkbox"/> WORK LIGHT- LED- CURB SIDE |
| <input type="checkbox"/> ROTATABLE BOOM INLET HOSE | <input type="checkbox"/> FLAT REAR DOOR PORTS | <input type="checkbox"/> WORK LIGHT- LED- STREET SIDE |
| <input type="checkbox"/> 180 DEG. 10' X 15' RAPID DEPLOYMENT BOOM | <input type="checkbox"/> 800' X 1" PIRANHA SEWER HOSE 2500 PSI IN LIEU OF STD | <input type="checkbox"/> CAMERA SYSTEM- FRONT- REAR AND BOTH SIDES |
| <input type="checkbox"/> HEAVY DUTY RDB HOSE | <input type="checkbox"/> RODDER HOSE PINCH ROLLER | <input type="checkbox"/> DOOR STRIPE MATERIAL- REFLECTIVE TAPE |
| <input type="checkbox"/> RDB WASHOUT COUPLING | <input type="checkbox"/> ADDITIONAL HOSE FOOTAGE COUNTER, REAR OF HOSE REEL | <input type="checkbox"/> OPERATOR STATION CURBSIDE TOOLBOX - WITH LIGHTING |
| <input type="checkbox"/> FIXED REAR DOOR PIPE RACK -7" PIPE | <input type="checkbox"/> HIGH PRESSURE HOSE REEL | <input type="checkbox"/> REMOTE PENDANT CONTROL WITH CORD |
| <input type="checkbox"/> "SUBFRAME MOUNTED -2 PIPE RACK -7" | <input type="checkbox"/> "HYDRAULIC EXTENDING 15" - ROTATING HOSE REEL - 1" X 1000' CAPACITY | <input type="checkbox"/> FRONT HOSE REEL TOOL STORAGE |
| <input type="checkbox"/> DEBRIS BODY WASHOUT | <input type="checkbox"/> HOSE WIND GUIDE (DUAL ROLLER)- AUTO-INDEXING | <input type="checkbox"/> TOOLBOX- FRONT BUMPER MOUNTED- 16 X 12 X 18 W/(2) LED SIDE MARKERS |
| <input type="checkbox"/> S.S FLOAT BALL CAGE FOR FLOAT SHUT OFF SYSTEM | <input type="checkbox"/> LAVAL WATER SEPARATOR AT FILL | <input type="checkbox"/> LONG HANDLE TOOL STORAGE |
| <input type="checkbox"/> PUMP OFF PORTS ONLY | <input type="checkbox"/> ADDITIONAL WATER- 1500 GAL TOTAL | <input type="checkbox"/> TOOLBOX- BEHIND CAB - 16W 30H X 96D - WITH LIGHTING |
| <input type="checkbox"/> CENTRIFUGAL SEPARATORS (CYCLONES) | <input type="checkbox"/> DIGITAL WATER LEVEL INDICATOR | <input type="checkbox"/> TOOLBOX- DRIVER SIDE CHASSIS FRAME- 24W X 24H X 24D - WITH LIGHTING |
| <input type="checkbox"/> FOLDING PIPE RACK - STREETSIDE -7" PIPE | <input type="checkbox"/> HANDGUN COUPLERS- FRONT AND REAR | <input type="checkbox"/> TOOLBOX- PASSENGER SIDE CHASSIS FRAME- 30W X 18H X 24D - WITH LIGHTING |
| <input type="checkbox"/> FOLDING PIPE RACK - CURBSIDE -7" PIPE | <input type="checkbox"/> SAFETY CONE STORAGE RACK - POST STYLE | <input type="checkbox"/> TOOLBOX- DRIVER SIDE SUBFRAME- 18W X 24H X 24D - WITH LIGHTING |
| <input type="checkbox"/> REAR DOOR SPLASH SHIELD | <input type="checkbox"/> ADDITIONAL SAFETY CONE STORAGE RACK - POST STYLE | <input type="checkbox"/> RODDER SYSTEM ACCUMULATOR - JACK HAMMER ON/OFF CONTROL AT HOSE REEL |
| <input type="checkbox"/> LUBE MANIFOLD, WITH LUBE CHART | <input type="checkbox"/> WATER COOLER STORAGE RACK | <input type="checkbox"/> ADDITIONAL RODDER SYSTEM ACCUMULATOR (MANUAL OPERATION) |
| <input type="checkbox"/> DEBRIS BODY INSPECTION PORT W/LADDER | <input type="checkbox"/> CORDED- HAND LIGHT W/BUMPER PLUG | <input type="checkbox"/> HYDRO EXCAVATION KIT - INCLUDES LANCES W/ SHIELD- NOZZLES- STORAGE TRAY- AND VACUUM TUBE |
| <input type="checkbox"/> DIGITAL DEBRIS BODY LEVEL INDICATOR TIED TO VACUUM RELIEF | <input type="checkbox"/> WIRELESS- WATERPROOF- RECHARGEABLE- HANDHELD- LED SPOT LIGHT W/12V CHARGER | <input type="checkbox"/> RODDER PUMP DRAIN VALVES |
| <input type="checkbox"/> ANTI SPLASH VALVE- BODY INLET | <input type="checkbox"/> ADDITIONAL CORDED HAND LIGHT CONNECTOR- REAR | <input type="checkbox"/> 80 GPM/2500 PSI JET RODDER PUMP |
| <input type="checkbox"/> CYCLONE WASHOUT SYSTEM | <input type="checkbox"/> LED MID-SHIP TURN SIGNALS | <input type="checkbox"/> EXTENDED FACTORY WARRANTY - 3YRS |
| <input type="checkbox"/> FRONT BLOWER CONTROLS | <input type="checkbox"/> WORK LIGHTS (2), SELF-LEVELING BOOM LED | <input type="checkbox"/> LIGHT PACKAGE: LIGHT BAR, (6) STROBES, (1) NATIONAL SIGNAL 36" X 72" LED |
| <input type="checkbox"/> BLOWER HIGH TEMP SAFETY SHUTDOWN | <input type="checkbox"/> WORK LIGHTS (2)- LED- REAR DOOR | <input type="checkbox"/> FACTORY TRIP |
| <input type="checkbox"/> FINAL FILTER AND SILENCER BALL VALVE DRAINS | <input type="checkbox"/> WORK LIGHT- LED- OPERATORS STATION | |
| <input type="checkbox"/> 6" REAR DOOR KNIFE VALVE W/CAMLOCK - AIR ACTUATED - 3:00 POSITION | | |

UNIT PRICE:..... \$ 698,237.00
SOURCEWELL DISCOUNT:..... (-\$ 13,477.00)
SOURCEWELL SUBTOTAL: \$ 684,760.00
SALES TAX (8.750%) \$ 59,916.50
TOTAL PRICE F.O.B, VICTORVILLE, CA.: \$ 744,676.50

THE PROPERTY HEREIN IS GUARANTEED BY MANUFACTURER'S WARRANTY ONLY AND SELLER MAKES NO WARRANTY EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR OTHERWISE, OR OF FITNESS FOR ANY PARTICULAR PURPOSE, THAT EXTENDS BEYOND THE ABOVE DESCRIPTION OF THE EQUIPMENT.

NOTE: Price is good until 45 Days. Cost increases due to the addition of Government mandated safety or environmental devices incurred after the date of this proposal, will be charged to you at our cost. Proof of such costs, if any, will be documented.

TAXES: SALES TAX applicable at time of delivery will be shown on our invoice. FEDERAL EXCISE TAXES, if applicable, will require payment unless a properly executed Exemption Certificate is submitted.

DELIVERY: TBD - Depending on PO

TERMS: Net 30

We appreciate the opportunity to present this proposal and look forward to being of further and continued service.

HAAKER EQUIPMENT COMPANY

BY: George Lopez
GEORGE LOPEZ
SALES REPRESENTATIVE

ACCEPTED BY: _____

DATE: _____